

**DEMON MAX**

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

---

**SECTION 1. IDENTIFICATION**

Product name : DEMON MAX  
Design code. : A7134C  
Product Registration number : 100-1218

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)  
Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192  
E-mail address : sds.requests@syngenta.com  
Emergency telephone : 1 800 888 8372

**Recommended use of the chemical and restrictions on use**

Recommended use : Insecticide  
Restrictions on use : General Use Pesticide

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Flammable liquids : Category 4  
Acute toxicity (Oral) : Category 3  
Acute toxicity (Inhalation) : Category 3  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitization : Category 1  
Carcinogenicity : Category 2  
Specific target organ toxicity : Category 3 (Respiratory system)  
- single exposure  
Specific target organ toxicity : Category 2 (Nervous system, Central nervous system, Kidney,  
- repeated exposure Liver)  
Aspiration hazard : Category 1

**GHS label elements**

**DEMON MAX**

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H227 Combustible liquid.  
H301 + H331 Toxic if swallowed or if inhaled.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs (Nervous system, Central nervous system, Kidney, Liver) through prolonged or repeated exposure.

Precautionary Statements

: **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
cypermethrin	52315-07-8	25.3004
Proprietary surfactant blend component		>= 10 - < 20
solvent naphtha (petroleum), light arom.	64742-95-6	>= 5 - < 10
1,2,4-trimethyl-benzene	95-63-6	>= 1 - < 5
xylene mixture of isomers	1330-20-7	>= 1 - < 5
solvent naphtha (petroleum), highly arom.	64742-94-5	>= 1 - < 5
2-ethylhexan-1-ol	104-76-7	>= 1 - < 5
propane-1,2-diol	57-55-6	>= 1 - < 5
ethyl benzene	100-41-4	>= 0.1 - < 1
naphthalene	91-20-3	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.

## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary edema and pneumonitis. Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.
- Notes to physician : Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.  
Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

- Advice on safe handling : Hydrogen cyanide gas may be released during opening and dispensing.  
Avoid breathing air from container headspace.  
When using do not eat, drink or smoke.  
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
cypermethrin	52315-07-8	TWA	0.5 mg/m <sup>3</sup>	Syngenta
solvent naphtha (petroleum), light arom.	64742-95-6	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
1,2,4-trimethyl-benzene	95-63-6	TWA	25 ppm 125 mg/m <sup>3</sup>	NIOSH REL
		TWA	25 ppm	ACGIH
xylene mixture of isomers	1330-20-7	TWA	25 ppm 125 mg/m <sup>3</sup>	OSHA P0
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z-1
		TWA	100 ppm	ACGIH
solvent naphtha (petroleum), highly arom.	64742-94-5	STEL	150 ppm	ACGIH
		STEL	150 ppm 655 mg/m <sup>3</sup>	OSHA P0
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA P0
propane-1,2-diol	57-55-6	TWA	8 ppm 50 mg/m <sup>3</sup>	Supplier
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
ethyl benzene	100-41-4	TWA	10 mg/m <sup>3</sup>	US WEEL
		TWA	20 ppm	ACGIH
		TWA	100 ppm 435 mg/m <sup>3</sup>	NIOSH REL
		ST	125 ppm 545 mg/m <sup>3</sup>	NIOSH REL
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z-1
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA P0
		STEL	125 ppm 545 mg/m <sup>3</sup>	OSHA P0
naphthalene	91-20-3	TWA	10 ppm	ACGIH

## DEMON MAX

Version  
1.0Revision Date:  
04/19/2022SDS Number:  
S1132476134

This version replaces all previous versions.

		TWA	10 ppm 50 mg/m <sup>3</sup>	NIOSH REL
		ST	15 ppm 75 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 50 mg/m <sup>3</sup>	OSHA Z-1
		TWA	10 ppm 50 mg/m <sup>3</sup>	OSHA P0
		STEL	15 ppm 75 mg/m <sup>3</sup>	OSHA P0

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrogen cyanide	74-90-8	C	4.7 ppm (Cyanide)	ACGIH
		ST	4.7 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 11 mg/m <sup>3</sup>	OSHA Z-1
		STEL	4.7 ppm 5 mg/m <sup>3</sup>	OSHA P0

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
xylene mixture of isomers	1330-20-7	Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	1.5 g/g creatinine	ACGIH BEI
ethyl benzene	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift (As soon as possible after exposure ceases)	0.15 g/g creatinine	ACGIH BEI

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use.  
Maintain air concentrations below occupational exposure

## DEMON MAX

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	04/19/2022	S1132476134	

standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Tightly fitting safety goggles  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

**Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

**Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

**Color** : amber

**Odor** : No data available

**Odor Threshold** : No data available

**pH** : 5.2

## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

Concentration: 1 % w/v

Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	153 °F / 67 °C
		Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	0.982 g/cm <sup>3</sup> (77 °F / 25 °C)
Solubility(ies)		
Solubility in other solvents	:	Miscible Solvent: Water
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	500 °F / 260 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Hydrogen cyanide gas may develop in the headspace of containers at normal storage temperatures.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	None known.



**DEMON MAX**

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

Incompatible materials : None known.  
Hazardous decomposition products : hydrogen cyanide

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, male): 173 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 0.76 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Components:****cypermethrin:**

Acute oral toxicity : LD50 (Rat, female): 661 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 1.26 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Proprietary surfactant blend component:**

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after single contact with skin.

**1,2,4-trimethyl-benzene:**

Acute inhalation toxicity : LC50 (Rat): 11 mg/l  
Test atmosphere: vapor  
Assessment: The component/mixture is moderately toxic after short term inhalation.

**xylene mixture of isomers:**

Acute oral toxicity : LD50 (Rat, female): 3,523 mg/kg

**DEMON MAX**

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

Acute inhalation toxicity : LC50 (Rat): 27.124 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

**2-ethylhexan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.89 - 5.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation.

**ethyl benzene:**

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

**naphthalene:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : Irritating to skin.

**Components:****cypermethrin:**

Species : Rabbit  
Result : No skin irritation  
Remarks : May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

**Proprietary surfactant blend component:**

Result : Irritating to skin.

**1,2,4-trimethyl-benzene:**

Assessment : Irritating to skin.

**xylene mixture of isomers:**

Result : Irritating to skin.

**2-ethylhexan-1-ol:**

Species : Rabbit  
Result : Irritating to skin.

**DEMON MAX**

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

---

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : Eye irritation

**Components:****cypermethrin:**

Species : Rabbit  
Result : No eye irritation

**Proprietary surfactant blend component:**

Result : Risk of serious damage to eyes.

**1,2,4-trimethyl-benzene:**

Assessment : Irritating to eyes.

**xylene mixture of isomers:**

Result : Eye irritation

**2-ethylhexan-1-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitization****Product:**

Test Type : Buehler Test  
Species : Guinea pig  
Result : May cause sensitization by skin contact.

**Components:****cypermethrin:**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitization on laboratory animals.

**Germ cell mutagenicity****Components:****cypermethrin:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

### Carcinogenicity

#### Components:

##### **cypermethrin:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

##### **naphthalene:**

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

<b>IARC</b>	Group 2B: Possibly carcinogenic to humans ethyl benzene	100-41-4
	Group 2B: Possibly carcinogenic to humans naphthalene	91-20-3

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

<b>NTP</b>	Reasonably anticipated to be a human carcinogen naphthalene	91-20-3
------------	--	---------

### Reproductive toxicity

#### Components:

##### **cypermethrin:**

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **STOT-single exposure**

#### Components:

##### **cypermethrin:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **1,2,4-trimethyl-benzene:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **xylene mixture of isomers:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **2-ethylhexan-1-ol:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**DEMON MAX**

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

---

**STOT-repeated exposure****Components:****cypermethrin:**

Target Organs : Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**xylene mixture of isomers:**

Target Organs : Central nervous system, Kidney, Liver  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**ethyl benzene:**

Target Organs : hearing organs  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**Aspiration toxicity****Components:****solvent naphtha (petroleum), light arom.:**

May be fatal if swallowed and enters airways.

**1,2,4-trimethyl-benzene:**

May be fatal if swallowed and enters airways.

**xylene mixture of isomers:**

May be fatal if swallowed and enters airways.

**solvent naphtha (petroleum), highly arom.:**

May be fatal if swallowed and enters airways.

**ethyl benzene:**

May be fatal if swallowed and enters airways.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****cypermethrin:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00092 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.00021 mg/l  
aquatic invertebrates : Exposure time: 48 h

## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 1.3 mg/l  
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): > 1.3 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000077 mg/l  
Exposure time: 300 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.000009 mg/l  
Exposure time: 21 d

### Proprietary surfactant blend component:

#### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### 1,2,4-trimethyl-benzene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 7.72 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.6 mg/l  
Exposure time: 48 h

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### xylene mixture of isomers:

Toxicity to algae/aquatic plants : EC50: 2.2 mg/l  
Exposure time: 72 h

NOEC: 0.44 mg/l  
Exposure time: 72 h

### solvent naphtha (petroleum), highly arom.:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### 2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h

**DEMON MAX**

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

---

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 16.6 mg/l  
Exposure time: 72 h

**ethyl benzene:**

Toxicity to fish : LC50 (Marine species): 5.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 2.6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 0.96 mg/l  
Exposure time: 7 d

**naphthalene:****Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability****Components:****cypermethrin:**

Biodegradability : Result: No information available.

**xylene mixture of isomers:**

Biodegradability : Result: Readily biodegradable.

**2-ethylhexan-1-ol:**

Biodegradability : Result: Readily biodegradable.

**ethyl benzene:**

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential****Components:****cypermethrin:**

Bioaccumulation : Remarks: High bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 6.5

**Mobility in soil****Components:****cypermethrin:**

## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

Distribution among environmental compartments : Remarks: immobile  
 Stability in soil : Dissipation time: < 21 d  
 Percentage dissipation: 50 % (DT50)  
 Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### **cypermethrin:**

Results of PBT and vPvB assessment : No data available

##### **2-ethylhexan-1-ol:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **naphthalene:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Do not dispose of waste into sewer.  
 Where possible recycling is preferred to disposal or incineration.  
 If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
 Triple rinse containers.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 2902  
 Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S.  
 (CYPERMETHRIN)  
 Class : 6.1  
 Packing group : III  
 Labels : 6.1

#### **IATA-DGR**

UN/ID No. : UN 2902



## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

Proper shipping name : Pesticide, liquid, toxic, n.o.s.  
(CYPERMETHRIN)

Class : 6.1

Packing group : III

Labels : Toxic

Packing instruction (cargo aircraft) : 663

Packing instruction (passenger aircraft) : 655

### IMDG-Code

UN number : UN 2902

Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S.  
(CYPERMETHRIN)

Class : 6.1

Packing group : III

Labels : 6.1

EmS Code : F-A, S-A

Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 2902

Proper shipping name : Pesticides, liquid, toxic, n.o.s.  
(CYPERMETHRIN)

Class : 6.1

Packing group : III

Labels : TOXIC

ERG Code : 151

Marine pollutant : no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### Warning

May be fatal if swallowed.

Harmful if absorbed through skin.

Harmful if inhaled.

Avoid contact with skin, eyes or clothing.

Causes moderate eye irritation.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Wear long-sleeved shirt and long pants, socks, shoes, and gloves.

Remove and wash contaminated clothing before re-use.

## DEMON MAX

Version 1.0      Revision Date: 04/19/2022      SDS Number: S1132476134      This version replaces all previous versions.

Avoid breathing spray mist.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
xylene mixture of isomers	1330-20-7	100	4087

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
 Acute toxicity (any route of exposure)  
 Respiratory or skin sensitization  
 Carcinogenicity  
 Specific target organ toxicity (single or repeated exposure)  
 Aspiration hazard  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

1,2,4-trimethyl-benzene	95-63-6	>= 1 - < 5 %
xylene mixture of isomers	1330-20-7	>= 1 - < 5 %
ethyl benzene	100-41-4	>= 0.1 - < 1 %
naphthalene	91-20-3	>= 0.1 - < 1 %

### The ingredients of this product are reported in the following inventories:

TSCA : On or in compliance with the active portion of the TSCA inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION


### Further information

## DEMON MAX

Version  
1.0Revision Date:  
04/19/2022SDS Number:  
S1132476134

This version replaces all previous versions.

### NFPA 704:



### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health

**DEMON MAX**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	04/19/2022	S1132476134	

Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/19/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8